

**Floor Matting Solutions**  
C A T A L O G U E

# Logo Mats

## Customised logo mats promote company images and reinforce special messages

- Fully launderable, top quality pile combines with 'Stayput' gripper backing for excellent performance.
- Up to the minute technology ensures accurate colour reproduction and maximum impact.

## To order: just follow these easy steps.

1. State the quantity and size (landscape or portrait) of the mats required and supply a copy of the image or message to be produced. This can be a compliment slip, letterhead or simple sketch.
2. A full colour proof will be submitted for approval.
3. The logo mats are produced - imagination is the only limitation!

Depth 9mm

**Recommended Uses:** Normal Foot Traffic

### 2 - 4 Colour

Metric	Imperial
60cm x 88cm	2' x 3'
88cm x 120cm	3' x 4'
88cm x 150cm	3' x 5'
110cm x 180cm	4' x 6'
110cm x 240cm	4' x 8'

### 5- 8 Colours

Metric	Imperial
60cm x 88cm	2' x 3'
88cm x 120cm	3' x 4'
88cm x 150cm	3' x 5'
110cm x 180cm	4' x 6'
110cm x 240cm	4' x 8'

Water Retention ◆◆ Crush Resistance ◆◆◆ Soil Resistance ◆◆◆◆



# Entrance Mats

## Opera

### The all in one matting solution

- Three different zones for maximum dirt trapping action.
- **No 1 Zone** – Tough polypropylene fibres for heavy duty scraping action.
- **No 2 Zone** – Alternating stripes of first zone with moisture absorbing Decalon® yarns for second line of defence.
- **No 3 Zone** – Finally, drying action from premium yarns for years of out standing performance.

**Co-ordinated colours:** Brown, Burgundy, Black, Green, Navy, Grey.  
Depth 8mm

**Recommended Uses:** Entrances - All Types of Foot Traffic.

CODE	METRIC	IMPERIAL
OL310	91cm x 310cm	3' x 10'
OL412	120cm x 366cm	4' x 12'

Water Retention ◆◆◆ Crush Resistance ◆◆◆◆ Soil Resistance ◆◆◆◆◆



**PERFORMANCE KEY:** Good ◆ Very good ◆◆ Excellent ◆◆◆

# Entrance Mats

## Polyplush™

**Budget priced all purpose decorative mat**

- Durable polypropylene fibres are heat cured into a dense vinyl base to produce this hardwearing mat.
- Dirt hiding tweed pattern is extremely popular and easy to clean.

Depth 6.5mm **Recommended Uses:** Indoor Normal Foot Traffic Areas.

CODE	METRIC	IMPERIAL
PPV2436	61cm x 91cm	2' x 3'
PPV3648	91cm x 122cm	3' x 4'
PPV3660	91cm x 152cm	3' x 5'
PPV310	91cm x 3m	3' x 10'
PPV4872	122cm x 183cm	4' x 6'
PPV4896	122cm x 244cm	4' x 8'

◆◆ Water Retention
◆◆ Crush Resistance
◆ Soil Resistance



**Custom Made Mats**  
Polyplush can be made any length up to 18.3m 6' long, please enquire for details.

BROWN



## Lustre

**Premier laundry mat, excellent for absorbing water and trapping dirt**

- Rubber gripper backing minimises mat movement and crush resistant pile maintains luxurious look despite heavy traffic.
- Machine launderable, can also be vacuumed, extraction cleaned or simply hosed off with water.

Depth 9mm **Recommended Uses:** Indoor, Normal Foot Traffic Areas.

CODE	METRIC	IMPERIAL
LMR2436	61cm x 88cm	2' x 3'
LMR3648	88cm x 120cm	3' x 4'
LMR3660	88cm x 150cm	3' x 5'
LMR310	88cm x 3m	3' x 10'
LMR4872	114cm x 180cm	4' x 6'
LMR4896	114cm x 240cm	4' x 8'

◆◆ Water Retention
◆◆ Crush Resistance
◆◆ Soil Resistance



DEEP BLUE



# Entrance Mats

## Brush Step

**Combines good looks with high performance**

- Simultaneously removes dirt, grit and moisture from foot traffic.
- Features polypropylene faced carpeting on heavy duty, slip and stain resistant vinyl base.  
Depth 9mm

**Recommended Uses:** Indoor - Heavy Foot Traffic Areas.

CODE	METRIC	IMPERIAL
BSV2436	61cm x 91cm	2' x 3'
BSV3648	91cm x 122cm	3' x 4'
BSV3660	91cm x 152cm	3' x 5'
BSV320	91cm x 6m	3' x 20'
BSV4872	122cm x 183cm	4' x 6'
BSV4896	122cm x 244cm	4' x 8'
BSV420	122cm x 6m	4' x 20'



Water Retention

Crush Resistance

Soil Resistance



SLATE BLUE



## Avantguard™

**Heavy Duty Avantguard keeps dirt and moisture on the mat**

- Rubber gripper backing makes it ideal for use on hard floors and most carpets.
- Raised 'thumbs' and edge lip combine to scrape dirt and moisture from shoes whilst containing it on the mat.  
Depth 8mm




**Recommended Uses:** Indoor - Heavy Foot Traffic Areas.

CODE	METRIC	IMPERIAL
AG2436	60cm x 85cm	23" x 34"
AG3660	85cm x 150cm	34" x 59"
AG4872	115cm x 180cm	45" x 71"

Water Retention

Crush Resistance

Soil Resistance



NAVY

BROWN

RED/BLACK

CHARCOAL

FOREST GREEN

# Entrance Mats

## Citi™ Heavy Traffic

High Quality Mat that scraps dirt off shoes

- 100% PVC coils of tough "spaghetti" matting.
- NO BACKING, allowing drainage of debris and water:


**Recommended Uses:** Outdoor - Heavy Foot Traffic.

CODE	METRIC	IMPERIAL
TWV486	120cm x 6m	4' x 20'
TWV4818	120cm x 18m	4' x 59'
CUT LENGTHS		
TWV48C	120cm wide	4' wide

Water Retention  
Not Rated

Crush Resistance  
◆◆◆

Soil Resistance  
◆◆◆



Bevel edging service available, please enquire.

## Citi™ Heavy Traffic with backing

Long lasting mat that keeps debris in its place

- 100% PVC coils of tough "spaghetti" matting.
- SOLID BACKING, for indoor use, ideal for mat wells.

**Recommended Uses:** Indoor - Heavy Foot Traffic.

CODE	METRIC	IMPERIAL
TWV486B	120cm x 6m	4' x 20'
TWV4818B	120cm x 18m	4' x 59'
CUT LENGTHS		
TWV48BC	120cm wide	4' wide

Water Retention  
◆

Crush Resistance  
◆◆◆

Soil Resistance  
◆◆◆

ANTHRACITE

GREEN

BROWN

RED

GREY

BLACK

NAVY BLUE

# Entrance Mats

## Rubber Brush™

**Thousands of rubber bristles clean shoes fast**

- Withstands weather extremes and heaviest of foot traffic.
- Anti-trip bevel edges with underneath suction cup design to stop mat movement.

Depth: 16mm **Colour:** Black

**Recommended Uses:** Outdoor Entrances: Heavy Foot Traffic.

CODE	METRIC	IMPERIAL
57713	60cm x 80cm	24" x 32"
57710	80cm x 100cm	32" x 39"
57712	90cm x 150cm	36" x 59"
57711	90cm x 180cm	36" x 71"


**Water Retention**



**Crush Resistance**



**Soil Resistance**



## Oct-O-Mat™

**Versatile Oct-O-Mat for demanding outdoor conditions**

- Connectors available to join this rubber mat to form large areas.
- Insert brushes increases scraping action and can be used to create logos or messages.

Depth: 23mm **Colour:** Mat: Black.

Brushes: Red, Blue, Green, Yellow, Black & Grey.

**Recommended Uses:** Outdoor Heavy Traffic - Wet, Muddy, Snowy areas. Also ideal for entrances.

CODE	METRIC	IMPERIAL
M69/1	150cm x 100cm	59" x 39"
M69/2	75cm x 100cm	30" x 39"
M69/3	50cm x 100cm	20" x 39"
C69	Connectors	
B01	Insert brushes	

**Water Retention**  
**Not Rated**

**Crush Resistance**



**Soil Resistance**



CONNECTOR



# Entrance Mats

## Scraper

**Vinyl loops provide aggressive cleaning action**

- Slip resistant vinyl base makes it ideal for use on hard floors inside or out.
- Can be used in extreme weather conditions and is easily cleaned by shaking or hosing off.

Depth 7mm **Colour:** Red, Brown beige, Pewter; Forest Green.


**Recommended Uses:** Indoor/Outdoor - Medium Foot Traffic.

CODE	METRIC	IMPERIAL
MSV2436	60 cm x 91cm	2' x 3'
MSV3648	91cm x 122cm	3' x 4'
MSV3660	91cm x 152cm	3' x 5'
MSV320	91cm x 6m	3' x 20'
MSV4872	122cm x 183cm	4' x 6'
MSV4896	122cm x 244cm	4' x 8'
MSV420	122cm x 6m	4' x 20'

Water Retention

Crush Resistance

Soil Resistance



RED

# Catering Mats

## Chef-Mat

**A standard of hygiene to be comfortable with**

- Excellent for anti-fatigue and anti-slip needs in kitchens.
- Underside suction cups to keep mat in place on slippery floors.
- Bevel edges for safety and grooved surface for liquid dispersal.
- Recommended daily clean of mat with broom and hot water.

Depth 12mm **Colour:** Black, resilient standard rubber.  
Terracotta, grease proof rubber.

**Recommended Use:** Medium Duty Industrial Areas - Wet or Dry.  
Food Service.

CODE	COLOUR	METRIC	IMPERIAL
CM34B	BLACK	91cm x 122cm	3' x 4'
CM34T	TERRACOTTA	91cm x 122cm	3' x 4'

Wear Resistance

Slip Resistance

Anti-Fatigue



BLACK



TERRACOTTA

# Sports Mats

## Gym Mat

**Loose lay gym tiles for weight training areas and gymnasiums**

- Heavy duty rubber floor tiles interlock to provide shock absorption and floor protection.
- Safety and traction supplied by bevel edge and surface texture.

Depth: 10mm **Colour:** Black

**Recommended Uses:** Weight Training Areas, Gymnasiums, other Sports Facilities including Ice Arenas.

CODE	METRIC	IMPERIAL
GM72 TILES	60cm x 60cm	24" x 24"
GM71 BEVELLED CORNERS	30cm x 30cm	12" x 12"
GM70 BEVELLED BORDER	30cm x 60cm	12" x 24"


Wear Resistance  
◆◆◆

Slip Resistance  
◆◆

Anti-Fatigue  
◆



Example mat shown covers area 180cm x 180cm (6' x 6') using gym mats, corners and edges.



## Dyna Mat

**Heavy duty loose lay mats available in three thicknesses**

- Dense rubber matting provides floor protection and shock absorption.
- Textured top surface for traction.

Depth: 10mm, 12mm and 17mm **Colour:** Black

**Recommended Uses:** Sports Areas, Weight Training, Skating Rinks, Gymnasiums, Golf Courses, Tug of War, Horse Trailers, Stables.


**Dyna Mat. Minimum order 10 mats**

CODE	METRIC	IMPERIAL
DM10	1.8m x 1.2m x 10mm	6' x 4'
DM12	1.8m x 1.2m x 12mm	6' x 4'
DM17	1.8m x 1.2m x 17mm	6' x 4'

Wear Resistance  
◆◆◆

Slip Resistance  
◆◆

Anti-Fatigue  
◆





# Leisure Mats

## Soft Step™

**For barefoot comfort and safety in wet areas**

- Anti-bacterial treated plastic prevents growth of fungi and bacteria.
- Free draining matting that is pleasantly soft and warm under bare feet.
- For larger widths connector clips are available.

Depth 9mm **Colours:** Red, Blue, Flecked White.

**Recommended Uses:** Leisure - Swimming Pools, Locker Rooms and all Wet Areas.

CODE	METRIC	IMPERIAL
M901	60cm x 15m	2' x 50'
M911	60cm x 90cm	2' x 3'
689	Connector in 40's-sufficient to join 15m length	
CUT LENGTHS		
M901C	60cm wide	2' wide
<b>Wear Resistance</b> ◆◆◆ <b>Slip Resistance</b> ◆◆◆ <b>Anti-Fatigue</b> ◆◆◆		

See page 24 for anti slip tapes used in wet areas



Connector Clip



## Trapwell Comfort



**Enjoy the luxury of Trapwell Comfort in leisure areas**

- Soft vinyl loops for barefoot comfort.
- Free draining and reversible.

Depth: 8mm **Colour:** Blue.

**Recommended Uses:** Leisure Areas - All Wet Environments.

CODE	METRIC	IMPERIAL
TWVC36	90cm x 6m	3' x 20'
CUT LENGTHS		
TWVC36C	90cm wide	3' wide
<b>Wear Resistance</b> ◆◆ <b>Slip Resistance</b> ◆◆◆ <b>Anti-Fatigue</b> ◆◆		



# Mats for Leisure, Catering or Industry

## Kumfi Tile PVC

**The solution for cold, hard and slippery floors**


- Interlocking tiles and bevel edges easily form any mat size or shape.
- Very adaptable - use inside or out - Barefoot for leisure or safety footwear for industry.
- Free-draining mat is resistant to oils, greases and chemicals.

Depth 12mm

**Recommended Uses:** Leisure, Catering, Industry - Light/Medium Duty.

TYPE	CODE	METRIC	IMPERIAL
TILE	KT-PVC	30cm x 30cm	12" x 12"
BEVEL EDGE	KTE-PVC	30cm x 5cm	12" x 2"

Wear Resistance
Slip Resistance
Anti-Fatigue



Create your own shape.  
Six colour choice.

## Kumfi Tile Polyethylene

**The choice for larger areas**





- More rigid construct than the PVC version with a price advantage to make it suited for larger areas.
- Chemical resistance further extended.
- Bevel edge in PVC will fit this tile for anti-trip safety.
- Easy to clean - simply unclip into small sections.

Depth 12mm

**Recommended Uses:** Packing Stations, Walkways, Industry - Light/Medium Duty.

TYPE	CODE	METRIC	IMPERIAL
TILE	KT-POLY	30cm x 30cm	12" x 12"
BEVEL EDGE	KTE-PVC	30cm x 5cm	12" x 2"

Wear Resistance
Slip Resistance
Anti-Fatigue



RUBY RED TILE

JET BLACK EDGE

# Mats for Leisure, Catering or Industry

## Interflex Standard


### The benchmark for industrial and catering matting

- Grid welded PVC matting is very hard wearing and allows dirt and spillages to drain away, leaving a clean top surface.
  - Anti fatigue Interflex Standard has an etched surface for anti-slip protection.
  - Oil, grease and chemical resistant.
  - For larger widths, or larger lengths connector clips are available.
- Depth 12.5mm **Colour:** Black

**Recommended Uses:** Medium to Heavy Industry-Leisure-Catering.

CODE	METRIC	IMPERIAL
95050S/40*	40cm x 10m	16" x 33'
95050S/50*	50cm x 10m	20" x 33'
95050S/60	60cm x 10m	24" x 33'
95050S/80	80cm x 10m	32" x 33'
95050S/100	100cm x 10m	39" x 33'
95050S/120*	120cm x 10m	47" x 33'
IXC	Connectors	
CUT LENGTHS		
95050S/60C	60cm wide	24" wide
95050S/80C	80cm wide	32" wide
95050S/100C	100cm wide	39" wide

◆◆◆ **Wear Resistance**
◆◆◆ **Slip Resistance**
◆◆◆ **Anti-Fatigue**



BLACK

\*To special order, please allow 6 weeks delivery

## Interflex Splash

### Use Interflex Splash in wet areas for hygiene, comfort and safety

- Strong, flexible PVC strip matting provides ideal slip resistance for changing rooms, swimming pool surrounds, showers and all wet areas.
  - Unique design provides drainage in all directions, eliminating puddles.
  - Resistant to bacterial and fungal growth.
  - For larger widths, or larger lengths connector clips are available.
  - Barefoot comfort - inside or outside.
- Depth 12mm **Colours:** Blue, Red, Green,

**Recommended Uses:** Leisure-Food Areas-Industry.


CODE	METRIC	IMPERIAL
96/40*	40cm x 10m	16" x 33'
96/50*	50cm x 10m	20" x 33'
96/60	60cm x 10m	24" x 33'
96/80	80cm x 10m	32" x 33'
96/100	100cm x 10m	39" x 33'
96/120*	120cm x 10m	47" x 33'
IXC	Connectors	
CUT LENGTHS		
96/60C	60cm wide	24" wide
96/80C	80cm wide	32" wide
96/100C	100cm wide	39" wide

◆◆◆ **Wear Resistance**
◆◆◆ **Slip Resistance**
◆◆◆ **Anti-Fatigue**


\*To special order, please allow 6 weeks delivery



BLUE



RED



GREEN

# Industrial Matting

## Interflex Grip

**Ideally replaces wooden duckboards**


- Made from recycled plastic and synthetic rubber, Interflex Grip is extremely tough and highly anti slip.
- Duckboard style allows liquids and swarf to safely disperse.
- Offers fatigue relief, and resistance to most acids, oils and industrial chemicals.

Depth 21mm **Colour:** Silver/Grey.

**Recommended Uses:** Heavy Duty Industrial.

CODE	METRIC	IMPERIAL
91770/60	60cm x 5m	24" x 16 1/2'
91770/80	80cm x 5m	32" x 16 1/2'
91770/100	100cm x 5m	39" x 16 1/2'
CUT LENGTHS		
91770/60C	60cm wide	24" wide
91770/80C	80cm wide	32" wide
91770/100C	100cm wide	39" wide

◆◆◆ Wear Resistance
◆◆ Slip Resistance
◆◆ Anti-Fatigue



## Interflex Glow

**In emergencies Interflex Glow pinpoints escape routes**


- Photoluminescent safety stripes glow in times of sudden darkness e.g. power failure.
- Grid welded PVC construction allows for liquids to quickly drain away.
- For larger widths, connector clips are available.

Depth 12.5mm

**Recommended Uses:** Medium to Heavy Industrial Areas.

CODE	METRIC	IMPERIAL
95069/60	60cm x 10m	24" x 33'
95069/80	80cm x 10m	32" x 33'
95069/100	100cm x 10m	39" x 33'
IXC	Connectors	
CUT LENGTHS		
95069/60C	60cm wide	24" wide
95069/80C	80cm wide	32" wide
95069/100C	100cm wide	39" wide

◆◆◆ Wear Resistance
◆◆ Slip Resistance
◆◆ Anti-Fatigue



## Interflex Hazard

**High-visibility for workplace safety**


- Hard wearing black PVC matting with bold yellow stripes down each side.
- Oil, grease and chemical resistant.
- For larger widths connector clips are available.

Depth 12.5mm **Colour:** Black/Yellow

**Recommended Use:** Medium to Heavy Industry Areas.

CODE	METRIC	IMPERIAL
95050H/60	60cm x 10m	24" x 33'
95050H/80	80cm x 10m	32" x 33'
95050H/100	100cm x 10m	39" x 33'
IXC	Connectors	
CUT LENGTHS		
95050H/60C	60cm wide	24" wide
95050H/80C	80cm wide	32" wide
95050H/100C	100cm wide	39" wide

◆◆◆ Wear Resistance
◆◆ Slip Resistance
◆◆ Anti-Fatigue



# Industrial Matting

## Air Rug®

**Increases safety, comfort and productivity**


- Closed cell PVC sponge matting relieves leg and back discomfort.
- Ribbed surface and anti trip bevel edges provide sure footing and safety.

Depth 9.4mm **Colour:** Black, Grey

**Recommended Uses:** Light Duty Dry Areas.

MATS		
CODE	METRIC	IMPERIAL
EZ2436	60cm x 91cm	2' x 3'
EZ3660	91cm x 152cm	3' x 5'
EZ310	91cm x 3m	3' x 10'
EZ4872	122cm x 183cm	4' x 6'
ROLLS		
EZ24/10	60cm x 10m	2' x 33'
EZ24/18	60cm x 18.3m	2' x 60'
EZ36/10	91cm x 10m	3' x 33'
EZ36/18	91cm x 18.3m	3' x 60'
EZ36/23	91cm x 23m	3' x 75'
EZ48/10	122cm x 10m	4' x 33'
EZ48/18	122cm x 18.3m	4' x 60'
CUT LENGTHS		
EZ24C	60cm wide	2' wide
EZ36C	91cm wide	3' wide
EZ48C	122cm wide	4' wide

◆ **Wear Resistance**    ◆ **Slip Resistance**    ◆ **Anti-Fatigue**



GREY

BLACK

## Sof Tred™

**Fatigue fighting mats with added safety edging**

- Anti-fatigue, closed cell vinyl foam mat with pebble surface for traction.
- Safety awareness hi-lighted with bold yellow borders to each side.
- Bevel Edges.

Depth 9.4mm **Colour:** Black/Yellow

**Recommended Uses:** Dry Areas, Light Duty Industrial.

MATS		
CODE	METRIC	IMPERIAL
PS2436	60cm x 91cm	2' x 3'
PS3660	91cm x 152cm	3' x 5'
PS310	91cm x 3m	3' x 10'
PS4872	122cm x 183cm	4' x 6'
ROLLS		
PS24/10	60cm x 10m	2' x 33'
PS24/18	60cm x 18.3m	2' x 60'
PS36/10	91cm x 10m	3' x 33'
PS36/18	91cm x 18.3m	3' x 60'
PS36/23	91cm x 23m	3' x 75'
PS48/10	122cm x 10m	4' x 33'
PS48/18	122cm x 18.3m	4' x 60'
CUT LENGTHS		
PS24C	60cm wide	2' wide
PS36C	91cm wide	3' wide
PS48C	122cm wide	4' wide

◆ **Wear Resistance**    ◆ **Slip Resistance**    ◆ **Anti-Fatigue**



# Industrial Matting

## Diamond SofTred™

### Formulated for longer life


- Closed cell matting coated with tough layer of vinyl Dyna-Shield.
- 50% more wear resistance compared to traditional sponge matting.
- Extra thick mat 'Deck Plate surface and bevels edges provide excellent worker comfort and safety.

Depth 12.7mm **Colour:** Black or Black with yellow borders for safety awareness.

**Recommended Uses:** Medium Duty Industrial - Dry Areas.

BLACK		
CODE	METRIC	IMPERIAL
DST2436B	60cm x 91cm	2' x 3'
DST3660B	91cm x 152cm	3' x 5'
DST24/10B	60cm x 10m	2' x 33'
DST24/18B	60cm x 18.3m	2' x 60'
DST36/10B	91cm x 10m	3' x 33'
DST36/18B	91cm x 18.3m	3' x 60'
DST48/10B	122cm x 10m	4' x 33'
DST48/18B	122cm x 18.3m	4' x 60'
BLACK/YELLOW		
DST2436BY	60cm x 91cm	2' x 3'
DST3660BY	91cm x 152cm	3' x 5'
DST24/10BY	60cm x 10m	2' x 33'
DST24/18BY	60cm x 18.3m	2' x 60'
DST36/10BY	91cm x 10m	3' x 33'
DST36/18BY	91cm x 18.3m	3' x 60'
DST48/10BY	122cm x 10m	4' x 33'
DST48/18BY	122cm x 18.3m	4' x 60'

◆◆◆ **Wear Resistance** ◆◆◆ **Slip Resistance** ◆◆◆ **Anti-Fatigue**



## Cushion Trax®

### For a tough, slip resistant work area

- Top of the range in vinyl sponge matting with 'deckplate' top for improved traction.
- Vinyl top surface bonded to dense sponge base: enhances ergonomic benefit and worker comfort.
- Yellow edge option for safety awareness.

Depth 14.3mm **Colour:** Black, Black/Yellow.

**Recommended Uses:** Heavy Duty Industrial Environments, Dry Areas.

BLACK		
CODE	METRIC	IMPERIAL
DP2436B	61cm x 91cm	2' x 3'
DP3660B	91cm x 152cm	3' x 5'
DP310B	91cm x 3m	3' x 10'
DP320B	91cm x 6m	3' x 20'
BLACK/YELLOW		
DP2436BY	61cm x 91cm	2' x 3'
DP3660BY	91cm x 152cm	3' x 5'
DP310BY	91cm x 3m	3' x 10'
DP320BY	91cm x 6m	3' x 20'

◆◆◆ **Wear Resistance** ◆◆◆ **Slip Resistance** ◆◆◆ **Anti-Fatigue**



**Custom length mats made to order, please ask for details.**

BLACK/YELLOW

BLACK



# Industrial Matting

## Cushion-Ease™ Solid Top

The ultimate for comfort and heavy duty usage

- Mats can be interlocked to form the mat size and shape of your choice.
- Compatible with Cushion Ease Open Top.

Depth 19mm **Colours:** Black - Resilient Standard Rubber, Terracotta - Grease Proof Rubber.

**Accessories:** Bevel Edges and Corners in black, yellow and terracotta. Connector strips in black, for widthways joining of mats.



**Recommended Uses:** Heavy-Duty, Industrial Environments, Dry Areas. Food Service.

TYPE	CODE	COLOUR	METRIC	IMPERIAL
MAT	57150	BLACK	91cm x 91cm	3' x 3'
MAT	56164	TERRACOTTA	91cm x 91cm	3' x 3'

### ACCESSORIES - FITS SOLID + OPEN TOP CUSHION-EASE

Edge bevel	57162	BLACK	91cm	3'
Edge bevel	57156	TERRACOTTA	91cm	3'
Edge bevel	57192	YELLOW	91cm	3'
Corner	57163	BLACK	-	-
Corner	57157	TERRACOTTA	-	-
Corner	57193	YELLOW	-	-
Connector	57161	BLACK	91cm	3'
Connector	57155	TERRACOTTA	91cm	3'

Wear Resistance ◆◆◆
Slip Resistance ◆◆◆
Anti-Fatigue ◆◆◆



## Cushion-Ease™ Open Top

Interlocks for superb worker comfort

- Open top allows liquids to drain away, leaving a safe work surface.
- Same in quality and comparable with Cushion Ease solid top.

Depth 19mm **Colours:** Black - Resilient Standard Rubber, Terracotta - Grease Proof Rubber.


**Accessories:** Bevel Edges and Corners in black, yellow and terracotta. Connector strips in black, for widthways joining of mats.

**Recommended Uses:** Heavy-Duty, Industrial Environments, Dry or Wet Areas. Food Service.

TYPE	CODE	COLOUR	METRIC	IMPERIAL
MAT	57160	BLACK	91cm x 91cm	3' x 3'
MAT	57154	TERRACOTTA	91cm x 91cm	3' x 3'

**ACCESSORIES - Please refer to adjoining price list.**

Wear Resistance ◆◆◆
Slip Resistance ◆◆◆
Anti-Fatigue ◆◆◆



# Industrial Matting

## Sanitop™

### Go anywhere duckboard type mat

- Fatigue fighting all purpose mat in standard black or greaseproof terracotta rubber.
- Safety anti-slip surface with bevels on all sides.
- Honeycomb design allows liquids to disperse quickly.

Depth 13mm **Colours:** Black, Terracotta.


**Recommended Uses:** Heavy Duty Industrial Environments, Dry or Wet Areas. Food Service.

COLOUR	CODE	METRIC	IMPERIAL
BLACK	56706	91cm x 152cm	3' x 5'
TERRACOTTA	56701	91cm x 152cm	3' x 5'

Wear Resistance	Slip Resistance	Anti-Fatigue
◆◆	◆◆◆	◆◆◆◆



TERRACOTTA



BLACK

## Sanitop Deluxe™

### For the toughest of work areas

- Tough rubber matting, ideal for covering large areas around machinery.
- Free draining design with safety option of anti-trip bevel edging in yellow.

Depth 20mm **Colours:** Black - Resilient Standard Rubber:

Terracotta - Grease Proof Rubber:

**Recommended Uses:** Heavy Duty Industrial Environments, Dry or Wet Areas. Food Service.

TYPE	CODE	COLOUR	METRIC	IMPERIAL
MAT	MB23	BLACK	91cm x 152cm	3' x 5'
MAT	MPR23	TERRACOTTA	91cm x 152cm	3' x 5'

Connector	C23			
*Edge bevel	BV3	YELLOW	91cm	3'
*Edge bevel	BV5	YELLOW	152cm	5'

\*Other Lengths to order, please enquire for details.

Wear Resistance	Slip Resistance	Anti-Fatigue
◆◆◆	◆◆◆◆	◆◆◆◆◆



TERRACOTTA

CONNECTORS



BLACK



# Industrial Matting

## Sanitop Deluxe™ Bevelled

Virtually indestructible duckboard type mat

- Link mat with choice of 3 or 4 yellow bevel edges, factory fitted.
- 3 bevel choice has bevels on each end and one long side.

Depth 20mm **Colour:** Black/Yellow.

**Recommended Uses:** Heavy Industry; Wet or Dry Areas.

TYPE	CODE	METRIC	IMPERIAL
Mat with 3 Bevels	MB23B3	96cm x 162cm	38" x 64"
Mat with 4 Bevels	MB23B4	101cm x 162cm	40" x 64"

Wear Resistance

Slip Resistance

Anti-Fatigue



## Safety Scrape

Provides anti-slip traction just where it is needed

- 100% Nitrile rubber for chemical and oil resistance with gripper backing to stop mat movement.
- Moulded scrapers remove heavy dirt from shoes and provide exceptional grip.

Depth 5mm **Colour:** Black.

**Recommended Uses:** Heavy Industrial - Dry Areas.  
Can be used where oils are present.

CODE	METRIC	IMPERIAL
SS23	61cm x 91cm	2' x 3'
SS35	87cm x 150cm	3' x 5'
SS310	87cm x 3m	3' x 10'
SS46	113cm x 180cm	4' x 6'
SS410	113cm x 3m	4' x 10'

Wear Resistance

Slip Resistance

Anti-Fatigue



## Happy Feet

Anti-fatigue, anti slip, anti static and oil resistant

- Dense cushion core encapsulated within solid nitrile rubber.
- Has all round bevelled borders, gripper back and can be used in wet or dry conditions.

Depth 12mm **Colours:** Black, Black with border marked in yellow.

**Recommended Uses:** Heavy Industrial, Electronics.  
Can be used where oils are present.

CODE	METRIC	IMPERIAL
<b>BLACK</b>		
HFR2436B	58cm x 87cm	2' x 3'
HFR3660B	87cm x 150cm	3' x 5'
HFR310B	87cm x 3m	3' x 10'
<b>BLACK /YELLOW</b>		
HFR2436BY	58cm x 87cm	2' x 3'
HFR3660BY	87cm x 150cm	3' x 5'
HFR310BY	87cm x 3m	3' x 10'

Wear Resistance

Slip Resistance

Anti-Fatigue



BLACK

# Industrial Matting

## Ergo Mat™

**Enhances worker comfort in dry areas**

- Rubber top bonded to dense sponge base provides excellent fatigue relief.
- Corrugated top surface design offers superior directional traction to reduce slips.

Depth 14mm **Colour:** Black.


**Recommended Uses:** Packing Stations, Welding Areas, Assembly Lines, Dry Areas.

CODE	METRIC	IMPERIAL
ERM23	60cm x 90cm	2' x 3'
ERM35	90cm x 150cm	3' x 5'
ERM46	120cm x 180cm	4' x 6'

Wear Resistance

Slip Resistance

Anti-Fatigue



Half an inch (13mm) thick

## Comfort Eze™

**Promotes blood circulation and productivity**

- Domed bubble surface promotes body movement, resulting in better blood circulation and less worker fatigue.
- 100% rubber; long lasting and easy clean.
- Bevel edges on all sides.

Depth 10mm **Colour:** Black.


**Recommended Uses:** Light to medium duty industrial and commercial areas.

CODE	METRIC	IMPERIAL
CE2436	60cm x 90cm	2' x 3'
CE3060	75cm x 1.5m	2 1/2' x 5'

Wear Resistance

Slip Resistance

Anti-Fatigue



# Industrial Matting

## Supertread

**Top performance from this slip resistant, grease proof mat**

- Excellent slip resistance for machinists in oil or greasy conditions.
- Channels soil and moisture away from shoes, preventing track-in at entrances.
- Launderable or easily cleaned by shaking, brushing, vacuum or hosing off.

Depth 14mm **Colour:** Black.

**Recommended Uses:** Oily Engineering Areas. Any outside Entrance.

CODE	METRIC	IMPERIAL
STD303	76cm x 86cm	2 1/2' x 3'
STD035	90cm x 1.5m	3' x 5'
STD046	1.1m x 1.7m	4' x 6'

◆◆◆ Wear Resistance

◆◆◆ Slip Resistance

◆◆◆ Anti-Fatigue



## Diamond Top Interlock

**Anti-fatigue matting in long runs or single mats**

- Deck plate surface with air pockets on underside for traction and buoyancy.
- Easy to install and relocate.
- Safety bevels on all side.

Depth 13mm **Colour:** Black.


**Recommended Uses:** Light to medium duty industrial and commercial areas.

TYPE	CODE	METRIC	IMPERIAL
End section	DTIE	71cm x 79cm	28" x 31"
Centre section	DTIC	71cm x 79cm	28" x 31"
Single mat	DTIS	71cm x 79cm	28" x 31"

◆◆◆ Wear Resistance

◆◆◆ Slip Resistance

◆◆◆ Anti-Fatigue



END

CENTRE

SINGLE

# Industrial Matting

## Cushion Lok™

### Heaviest grade of PVC matting, custom built to your requirements

- Built designedly for the most demanding situations, exceeding even the most critical users' expectations.
- Safe for use by wheeled trucks.
- Mats are plastic welded together, ensuring highest possible joint strength.
- Three year warranty against manufacturer's defects.

Depth 22mm.

#### Versions Available

##### 520HD CUSHION-LOK - HEAVY DUTY

- Perforated to facilitate drainage of spills.
- Weight 15.8kg per m<sup>2</sup>

##### 522HD CUSHION-LOK HEAVY DUTY WITH GRIP STEP

- Perforated to facilitate drainage of spills.
- With Grip Step abrasive coating.
- Weight 15.8kg per m<sup>2</sup>

##### 920HD CUSHION-LOK - HEAVY DUTY SOLID

- Closed top.
- Weight 16.2kg per m<sup>2</sup>

##### 922HD CUSHION-LOK HEAVY DUTY SOLID WITH GRIP STEP

- Closed top.
- With Grip Step abrasive coating.
- Weight 16.2kg per m<sup>2</sup>

**Tiles:** 30.48cm x 30.48cm – 1' x 1'  
**Ramp Edges:** 15.24cm x 30.48cm – 6" x 1'  
**Corner Ramps:** 15.24cm x 15.24cm – 6" x 6"

### Guide for ordering custom size matting

- Each of the Cushion-Lok™ products can be custom-designed for a specific work station (See Figure 1) or used in continuous lengths
- Ramp edges can be specified for any or all sides as desired
- The custom Cushion-Lok™ mat is factory assembled (Extra large mats are made in sections to facilitate shipping and handling)
- To order, provide a simple sketch that illustrates the shape, size dimensions and ramped edges (See Figure 2)
- See Figure 3 for dimensions
- If you plan to add to your custom-designed mat at a later date, please specify when placing original order




Figure 1: Custom Shapes




Figure 2: Draw a Sketch





Figure 3: The Pieces



Wear Resistance

Slip Resistance

Anti-Fatigue

# Speciality Matting

## PVC Rib Flex

### For smart anti-slip walkways

- Instant walkway solution for problem floors in heavy foottraffic areas.
- Anti-slip, flame resistant, impervious to most chemicals and suited for noise insulation purposes.

Depth 5mm. **Colours:** Black, Grey, Black/Yellow.


**Recommended Uses:** Industrial Flooring, Airports, Leisure Areas. Heavy Foot Traffic.

CODE	METRIC	IMPERIAL
85/100	1m x 10m	39" x 33'

Wear Resistance	Slip Resistance	Anti-Fatigue
◆◆	◆◆	◆



BLACK



GREY

BLACK/YELLOW

## Sticky Step

### Removes dirt from passing foot traffic

- Maintain clean room standards with Sticky Step Plastic mats.
- 30 adhesive layers are easily peeled back, maintaining a clean fully effective mat.
- Simply remove bottom layer and adhere to any clean, dry floor.

**Colours:** White, Grey.

Blue for food industry.

**Sticky Step:** 4 mats per pack, 120 layers in total. Depth 2mm.

**Recommended Uses:** Clean Rooms, Laboratories, Workshop Exits.

CODE	METRIC	IMPERIAL
SSP001	48cm x 110cm	18" x 45"



BLUE



GREY

WHITE

# Specialist Electrical Matting **Conductive/Anti-Static**

- Stat Zap and Diamond Stat are formulated to absorb static electricity.
- Simple worker tasks – working, walking or even sitting on certain types of stools – creates static electricity.
- Left unchecked, static will pass from the worker to the sensitive equipment, potentially creating damage to computer chips and electric circuitry.
- Conductive/Anti-static matting drains static from the worker thereby safeguarding equipment.

## Cushion Stat™

### For anti-fatigue and anti-static protection

- Anti-Fatigue Vinyl Sponge matting with pebble surface to aid traction.
- Tested according to EOS/ESD-S4.
- RTG measured at moderate and 12% RH, at 10V and 100V =  $10^9$  Ohms
- Static properties tested by independent testing laboratory.

Depth 9.4mm **Colour:** Brown.

**Recommended Uses:** Industrial Light Duty, Assembly Lines, Computer Rooms, Copy Machine Areas, Hospitals.

CODE	METRIC	IMPERIAL
ZL3823	60cm x 91cm	2' x 3'
ZL3835	91cm x 152cm	3' x 5'
ZL38310	91cm x 3m	3' x 10'
ZL38360	91cm x 18.3m	3' x 60'

◆ **Wear Resistance**
◆ **Slip Resistance**
◆ **Anti-Fatigue**



## Diamond Stat™

### For anti-fatigue protection in heavy duty areas

- Laminated anti-fatigue mat complete with grounding cord.
- Tough 'Deck Plate' top surface and bevelled edges.
- Durometer: 80+/-005.
- Surface to surface resistance:  $9^9 \times 10^9$  Max.Ohm.
- Surface to ground resistance:  $7^7 \times 10^9$  Max.Ohm.
- Static properties tested by an independent testing laboratory.

Depth 14.3mm **Colour:** Black.

**Recommended Uses:** Industrial Heavy Duty, Assembly Lines, Work Stations, CNC Machine Stations.

CODE	METRIC	IMPERIAL
DSV2436	60cm x 91cm	2' x 3'
DSV3660	91cm x 152cm	3' x 5'
DSV312	91cm x 3.66m	3' x 12'
DSV375	91cm x 23m	3' x 75'

◆◆ **Wear Resistance**
◆◆ **Slip Resistance**
◆◆ **Anti-Fatigue**



GROUNDING CORD INCLUDED



## Specialist Electrical Matting Non-Conductive

- Rib Mat Electrical is specially made to provide insulation for the worker.
- The non-conductive mat prevents the worker from being "grounded", thereby preventing electrical shock.

### Rib Mat Electrical

**Non-conductive, for worker protection from electric shocks**

Depth 6mm. Tested to 11,000 volts. Maximum working voltage 450 volts.

Depth 9mm. Tested to BS921/1976.

Tested to 15,000 volts. Maximum working voltage 650 volts.

**Recommended Uses:** Near Electrical Equipment.

CODE	THICKNESS	METRIC	IMPERIAL
50140	6mm	91cm x 10m	3' x 33'
50141	6mm	122cm x 10m	4' x 33'
50142	9mm	91cm x 10m	3' x 33'
50143	9mm	122cm x 10m	4' x 33'

#### CUT LENGTHS

CODE	THICKNESS	METRIC	IMPERIAL
50140C	6mm	91cm wide	3' wide
50141C	6mm	122cm wide	4' wide
50142C	9mm	91cm wide	3' wide
50143C	9mm	122cm wide	4' wide

◆ **Wear Resistance**

◆ **Slip Resistance**

◆ **Anti-Fatigue**

## Floor Protection Matting Rubber Rib Mat

**For sure footed floor protection**

- Low cost floor covering, with fine ribbing for sure footing and easy cleaning.
- 100% rubber matting, very tough and unaffected by temperature extremes.

Depth 3mm or 6mm.

**Recommended Uses:** Industrial Flooring, Aisles, near Machines and other places where objects may tend to slide: Work Desks, Workshops, Cars and Lorries.

CODE	THICKNESS	METRIC	IMPERIAL
50132	3mm	91cm x 10m	3' x 33'
50133	3mm	122cm x 10m	4' x 33'
50134	6mm	91cm x 10m	3' x 33'
50135	6mm	122cm x 10m	4' x 33'

#### CUT LENGTHS

CODE	THICKNESS	METRIC	IMPERIAL
50132C	3mm	91cm wide	3' wide
50133C	3mm	122cm wide	4' wide
50134C	6mm	91cm wide	3' wide
50135C	6mm	122cm wide	4' wide

◆ **Wear Resistance**

◆ **Slip Resistance**

◆ **Anti-Fatigue**  
3mm Not Rated. 6mm




# Matting Accessories

## Carpet Protector

### For an increase in carpet life

- Attractive glass clear PVC overlay matting protects carpets in high traffic areas.

CODE	METRIC	IMPERIAL
CPV27	68cm x 30m	27" x 98'
CUT LENGTH		
CPV27C	68cm wide	27" wide



## Vinyl Edging and Adhesive

- PVC edging factory fitted to custom size mats.

CODE	METRIC	IMPERIAL	PRICE
AA103	91cm	3'	per 3 feet/91cm <b>£9.00</b>



## Rug to Rug™

### Keeps mats flat for extra safety

- Protects carpets against pile destruction caused by friction with the mat back.
- Washable material with peelable cover sheet for ease of application to the mat underside.

CODE	METRIC	IMPERIAL
RTR36C	91cm wide	3' wide




## Nature Grip™

### Keeps mats in place

- Made of tough polypropylene fabric coated with natural rubber, keeps mats in place on smooth surfaces.
- Grid pattern eliminates mildew growth under mats.
- Washable in warm water with detergent if required.

CODE	METRIC	IMPERIAL
NGP 36C	91cm wide	3' wide





# Speciality Matting

## PVC Cable Protectors

Help you to comply with health and safety regulations



- Keeps cables tidy and safe, can be used on hard floors or carpets.
- Helps to prevent personal injury and damage to costly electrical equipment.

**Recommended Uses:** Offices, Computer Rooms, Laboratories.

Not suited for use near fork lift trucks.

### PVC CABLE PROTECTORS

CODE	COLOUR	METRIC	IMPERIAL
CG375B	BLACK	75mm x 3m	3" x 10'
CG375G	GREY	75mm x 3m	3" x 10'
CG375Y	YELLOW	75mm x 3m	3" x 10'
CG375HZ	BLACK/YELLOW	75mm x 3m	3" x 10'
CG310B	BLACK	100mm x 3m	4" x 10'
CG310G	GREY	100mm x 3m	4" x 10'
CG310Y	YELLOW	100mm x 3m	4" x 10'
CG310HZ	BLACK/YELLOW	100mm x 3m	4" x 10'



## Heated Foot Rest

Posture improving heated footrest for cold areas

- Easily adjusts for temperature and angle.
- Rugged metal case, plastic coated top and rubber feet for stability.
- Fitted with 13 amp plug.

Wattage - 45

**Recommended Uses:** Offices or for Seated Industrial Workers.

CODE	METRIC	IMPERIAL
661	38cm x 31cm	15" x 12"



## Anti-Fatigue Heated Mats

Isolates workers from cold floors

- Foam construction for ergonomic support.
- Fitted with 13 amp plug.

Depth 10mm

**Recommended Use:** Offices, Warehouses - light duty.

CODE	METRIC	IMPERIAL	WATTAGE
62700	40cm x 60cm	16" x 24"	24
62701	60cm x 90cm	24" x 36"	60

◆ Wear Resistance    ◆ Slip Resistance    ◆ Anti-Fatigue

Note – free sample not available for heated foot rest and anti-fatigue heated mats.



# Anti Slip Floor Tapes

## Diamond Grip

Tapes promote floor level safety in the workplace

### General Purpose

Hardwearing, water, oil and chemical resistant. For general use around factories, stairs, ramps etc. Diamond Grip, with self adhesive backing, is available in rolls, tiles, stair tread cleats or aluminium plates.

### Coarse

Tough, diamond hard material for heavy duty use. Available in rolls, stair treads and aluminium plates. Large mineral covering that resists clogging is very suitable for heavy plant and construction equipment.

### Aqua Safe

Barefoot comfort with textured vinyl top surface and moisture resistant backing suited for wet areas. Available in rolls, tiles and stair tread cleats.

### Clear

For prestigious floor areas where appearance is important. Ideal for floor surfaces such as terrazzo, marble and sealed, non wax wood. Available in rolls, tiles and stair tread cleats.  
Note: when used with primer adhesive the appearance is compromised.

### DIAMOND GRIP - ALL ROLLS 18.3M/60 FEET LONG

GENERAL PURPOSE • COURSE • AQUA SAFE • CLEAR

WIDTH	
METRIC	IMPERIAL
25mm	1"
50mm	2"
100mm	4"
150mm	6"
305mm	12"
610mm	24"
915mm	36"
140mm x 140mm Tiles	5 1/2" x 5 1/2"
610mm x 150mm Cleats	6" x 24"

### Colours:

**General Purpose:** Black, Yellow, Clear, Red, Green, Blue.

**Coarse:** Black only.

**Aqua Safe:** White, Black, Clear.



# Anti Slip Floor Tapes

## Conformable

Suitable for irregular surfaces, eg. diamond tread plates. Foil backing permits hammering into place. Good resistance to petrol and solvents, with a wide range of uses - Industry, construction, aircraft etc. Available in rolls, tiles and stair tread cleats. **Colour:** Black only

### CONFORMABLE ROLLS 18.3M/60' LONG

WIDTH	
METRIC	IMPERIAL
25mm	1"
50mm	2"
100mm	4"
150mm	6"
305mm	12"
610mm	24"
915mm	36"
140mm x 140mm Tiles	5 1/2" x 5 1/2"
610mm x 150mm Cleats	6" x 24"



ALUMINIUM PLATES

## Aluminium Plates

Provides anti slip surface on problem wooden steps. Also ideal for industrial gangways and open mesh decking. Tough aluminium plate coated with general purpose anti slip tape.

**Colour:** Black with aluminium border.

### ALUMINIUM PLATES

METRIC	IMPERIAL
114 x 635mm	4 1/2" x 25"

## Diamond Grip Accessories

### Primer/Adesive

Recommended for areas exposed to water, grease and oil. Especially suitable for low temperature and exterior applications.

**Coverage:** Approx. 4 sq. metres per litre

### Edge Sealer

Handy tubes for beading or sealing the edges of Diamond Grip to avoid seepage of excessive water, grease or petrol. Also protects edges in high traffic areas.

**Coverage:** Approx. 30 linear metres

### Solvent

Cleaner, degreaser for metal surfaces before application of Diamond Grip. Also for cleaning up of primer/adhesive, edge sealing compound and any tools used in the application.

DESCRIPTION	QUANTITY
Primer Adhesive	1 litre tin
Edge sealing compound	150ml tube
Solvent	1 litre tin

Due to the extensive range, Diamond Grip may not be available in all combinations of colour and sizes. Please check when placing your order.

## Hazard

General purpose grade material with chevron black/yellow printed feature for added safety. Available in 50mm wide rolls. **Colour:** Black /Yellow warning stripes.

### HAZARD 18.3M/60' LONG

WIDTH	
METRIC	IMPERIAL
50mm	2"




AQUA SAFE

## Glow In The Dark

Photoluminescent glowing tape, can be used indoors or outdoors. Ideal for emergency exit routes. Available in 50mm wide rolls. **Colour:** Photoluminescent Yellow/Green.

### GLOW IN THE DARK 18.3M/60' LONG

WIDTH	
METRIC	IMPERIAL
50mm	2"



CLEATS AND TILES